

OEM 맞춤형 BXG 시리즈 스테인리스 스틸 공기 필터

압축공기 필터













제품 사양

구성 요소 유형	공기 필터
소재	금속
보증	1년
기계 시험 보고서	제공 불가
출하 전 영상 검사	가능

제품 설명

Compressed air filter

Special for laser cutting machine

Use galvanized pipe or seamless steel pipe link



LEARN TO



Choose a suitable
Filters are important.

Many 

Complete accuracy

Automatic drainage
Not easy to clog



Compliant
Environmental requirements



Installation maintenance
Easy operation



After-sales service

Product Features



Ensure the required quality

The air supply system

Working pressure 16kg

1.6MPA



1.6MPA

Fault phenomenon

Treatment Scheme

Common faults and handling

Undrained

/
Drain valve clogged
Cleaning or replacement
Drain valve

Large differential pressure

/
Insufficient processing capacity
Replace the larger filter

Terminal

More oil and water

/
Drain valve failure
Replace drain

Product Parameters

Seven kinds of filters

For you to design

Ensure the required quality

Representative level: 9/7/5/3/1/FF

Filter type	DF#-001	DF#-002	DF#-004	DF#-007	DF#-008	DF#-010	DF#-015	DF#-020	DF#-025
Nm ³ /min	1.2	2.3	4.0	7	8	11.6	15.5	22.8	25.3

Grade 9 main line oil-water filter

Suitable for filtering large amounts of liquids and agglomerates above 3 microns in size (3PPM maximum residual oil content)

Level 7 main line dust filter

Suitable for filtering liquid water and oil; can filter out solid particles as small as 1.0 microns

(1.0ppm maximum residual oil content) # The filter elements are all imported glass fiber filter materials

5-stage high-efficiency oil removal filter

Suitable for coalescing fine water vapor and oil mist; it can filter out solid particles as small as 0.01 microns (0.01ppm maximum residual oil content) # The filter elements are all made of imported glass fiber filter materials.

3-stage ultra-efficient oil removal filter

Suitable for coalescing extremely fine water vapor and oil mist; it can filter out solid particles as small as 0.01 microns (0.003ppm maximum residual oil content) # The filter elements are all made of imported glass fiber filter materials.

1 grade activated carbon micro oil mist filter

Suitable for effective removal of odors in compressed air and absorption of oil vapors and hydrocarbon vapors; can filter out as small as 0.01 microns

Solid particles (0.001ppm maximum residual oil content) # The filter element adopts high-performance activated carbon adsorption material

Class F high efficiency dust removal filter


It is suitable for high-efficiency removal of solid particles greater than 0.1 microns, suitable for food, beverage, medical, clean and sterile laboratories, automation technology equipment, precision electronic work, etc. # The filter elements are all imported glass fiber filter materials.

FF-class ultra-high efficiency dust removal filter

It is suitable for ultra-efficient removal of solid particles greater than 0.01 microns, suitable for food, beverage, medical, clean and sterile laboratories, automation technology equipment, precision electronic work, etc. # The filter elements are all imported glass fiber filter materials.

Different configurations

Application Description Chart



After cooler can be configured accordingly

Freeze dryers and adsorption dryers

To achieve better results,



Solve customer needs with service

Enthusiasm Patience Dedicated

Product packaging



냉동식 에어 드라이어 및 흡착식 에어 드라이어 - Demargo

Demargo (Shanghai) Energy-Saving Technology Co., Ltd.는 국가급 하이테크 기업이자 상하이시 “전문화·정밀화·특성화·혁신형” 기업으로, 19년간 압축공기 정화 장비의 연구개발, 생산, 판매 및 애프터서비스에 전념해 왔습니다. 에너지 절약, 환경 보호, 기술 혁신에 대한 확고한 의지를 바탕으로 공기 압축 후처리 분야의 선도 제조업체로 성장했으며, 전 세계 산업 고객에게 고품질 맞춤형 솔루션을 제공하고 있습니다.

당사의 핵심 경쟁력은 강력한 기술 연구개발 역량에 있습니다. 현재까지 24건의 등록 특허와 22건의 출원 중 특허를 보유하고 있으며, 이는 공기 건조 및 정화 장비의 핵심 기술을 아우르고 있어 제품의 안정성과 에너지 효율을 효과적으로 보장합니다. 또한 ISO9001 및 QS 인증을 획득했으며, 제품은 국제 산업 표준을 충족합니다. 이슬점은 $-23^{\circ}\text{C} \sim -70^{\circ}\text{C}$, 공기 처리 용량은 $1 \sim 500\text{Nm}^3/\text{min}$, 출구 오일 함량은 최저 0.003PPM까지 구현해 업계 최고 수준의 정밀도를 달성했습니다.

당사는 60개 이상의 제품 카테고리를 아우르는 폭넓고 다양한 제품 포트폴리오를 보유하고 있으며, 여기에는 21개의 표준 제품과 업계를 선도하는 다양한 비표준 맞춤형 제품이 포함됩니다. 주요 제품으로는 공기 압축기 및 부속품, 에어 리시버, 냉동식 드라이어(플레이트 열교환기형, 고온 공랭식, DC 인버터형 등 포함), 흡착식 드라이어, 복합식 드라이어, 압축열 재생 흡착식 드라이어, 필터, 무공기소비 블로어 가열식 드라이어, 자동 세정 에어 필터, 압축공기 예냉 장치, 저온 고압 질소 예냉 장치, 산업용 칠러, 유수분리기, 오일 제거기 및 애프터쿨러 등이 있습니다. 당사는 지원합니다

주소: 중국 상하이시 진산구 평정진 차오리로 38번 라인 9호

전화: +8617316541891 / +8617321147609

이메일: nora@compressor-airdryer.com / Jim@compressor-airdryer.com

WhatsApp: +8617316541891 / +8617321147609